


#### Caledonian

## Industrial Cables (Australian Standard Medium Voltage) www.caledonian-cables.com marketing@caledonian-cables.com

#### 3.8/6.6kV Three Core Individual Screened & PVC/SWA/PVC Sheathed(Cu Conductor) 3C35





#### **APPLICATIONS**

These cables are designed to be used for the supply of electrical energy in fixed applications up to the rated voltages at a nominal power frequency between 49Hz and 61Hz., they are suitable for use in distribution installation, electrical power station, they are applied for installation, outdoors, underground where subject to mechanical damage.

#### **STANDARDS**

AS/NZS 1429.1

#### **VOLTAGE RATING**

3.8/6.6kV

#### **CABLE CONSTRUCTION**

CONDUCTOR: Plain circular compacted copper to AS/NZS1125

Maximum Continuous Operating Temperature: 90°C

CONDUCTOR SCREEN: Extruded semi-conducting compound, bonded to the insulation and applied in the same

operation as the insulation

INSULATION: Cross Linked Polyethylene (XLPE) - standard

Ethylene Propylene Rubber (EPR) - alternative

INSULATION SCREEN: Extruded semi-conducting compound

METALLIC SCREEN: Plain annealed copper wire: 10kA for nominal 1 second(HEAVY DUTY)

BEDDING: PVC

ARMOURING: Galvanised steel wires

SHEATH: Black 5V-90 polyvinyl chloride (PVC) - standard

Orange 5V-90 PVC inner plus black high density polyethylene (HDPE) outer - alternative

Low smoke zero halogen (LSOH) - alternative

#### TECHNICAL CHARACTERISTICS

NonMa	x.Conduc	Cond.	Inductive	nsulatio	Conducto	Max.	Charging	Dielectric	Screen	Armour	Zero	Zero
Cross-	DC	AC i	reactande	Resistanc	to (	diaelectri	current	loss	DC	DC :	sequence	seq.
SectionF	Resistan	esistand	@50Hz	@20°C	screen	stress	per	per r	esistana	esistana	esistance	react.
Area	@20°C	@50Hz		Ca	apacitano		phase	phrase	at 20°C	at 20°C	at 20°C	at
		and										50Hz
		90°C										



### Caledonian

# Industrial Cables (Australian Standard Medium Voltage) www.caledonian-cables.com marketing@caledonian-cables.com

mm²	Ohm/ km	Ohm/ km	Ohm/M km	egOhm.k	μF × km		A × km	W × km		Ohm/ km		Ohm/ km
25	0.727	0.927	0.127	9700	0.248	1.99	0.296	4.5	0.706	0.811	1.86	0.077

#### **DIMENSION AND PARAMETERS**

	Conducto							Diameter		Nom.	Approx.
Cross-	Diameter	Insulation	Diameter	Dia.	Area on	Diamter	Armour	under	Diameter	Overall	Weight
sectional	·	Thickness	over	over	Each	of	Wire	Armour	Over	Diameter	
Area			Insulation	Bedding	core	Screened	Diameter		Screened		
						Wires			Wires		
mm²	mm	mm	mm	mm	mm²	no x	mm	mm	mm	mm	kg/km
						mm					
25	5.8	2.5	12	36.1	25.5	15x0.85	2	40.1	15.3	44.9	345