


## Caledonian

Industrial Cables (UL Standard) www.caledonian-cables.com marketing@caledonian-cables.com

EPR/Copper Wire Shield/CPE, Medium-Voltage Power, Shielded 5KV and 8KV, UL Type MV-105,133% / 100% Ins. Levels, 115 Mils 1C500AWG





#### **APPLICATIONS**

These cables are suitable for use in wet or dry locations when installed in accordance with NEC, use in aerial, conduit, open tray and underground duct installations and use in direct burial if installed in a system with a ground conductor that is in close proximity, and conforms with NEC 250.4 (A) (5). Besides, they are installed in a broad range of commercial, industrial and utility projects such as pulp and paper mills, petrochemical plants, steel mills, textile mills, water and sewage treatment facilities, environmental protection systems, railroads, mines and fossil fuel utility generating stations.

#### **STANDARDS**

National Electric Code (NEC) ICEA S-93-639/NEMA WC74 UL 1072 ICEA S-97-682 AEIC CS8 Meets EPA 40 CFR, Part 261 for leachable lead content per TCLP method UL 1685 (Sizes 1/0 AWG and larger) UL Flame Exposure Test IEEE 1202 (70,000 BTU/hr)/CSA FT4 Optional Flame Tests:ICEA T-29-520 (210,000 BTU/hr)

#### **VOLTAGE RATING**

5KV\_8KV

#### CABLE CONSTRUCTION

Conductor: Annealed bare copper Class B strand.

Extruded Strand Shield (ESS): Extruded thermoset semi-conducting stress-control layer over conductor. Insulation: Ethylene Propylene Rubber (EPR) insulation colored to contrast with black conducting shield layers. Composite Insulation Shield and Jacket: Six corrugated copper drain wires embedded in composite layers of semi-conducting thermoset copolymer and semi-conducting black flame-retardant Chlorinated Polyethylene (CPE).

#### DIMENSION AND PARAMETERS



# Caledonian

### Industrial Cables (UL Standard)

www.caledonian-cables.com

marketing@caledonian-cables.com

ŀ	AWG	Conduct	onducto	Nominal	Nominal	Nominal	Nominal	Drain	Approx.	Approx.	Approx.	Approx	Ampacity	Ampacity
	Size	Diametel	Diametel	Diamete	Diametel	Diamete	Diamete	Wire	Overall	Overall	Weight	Weight	In Air	GND.
				over	over		over		Diametel	Diamete				
			1	nsulatio			nsulatior							
				(min.)	(min.)	(max.)	(max.)							
		in	mm	in	mm	in	mm	AWG	in	mm	kg/km	LBS/		
											Ŭ	MFT		
	500	0.74	18.8	0.99	25.15	1.065	27.05	17	1.24	31.5	2980	2003	535	500